

UR LIGHTING

15YEARS ANNIVERSARY

CONTACT US

Add: NO.3-5.Kanglong 3rd Road, Xinmao Industrial Area,
Henglan Town Zhongshan City Guangdong Province.China

Website: https://www.urlighting.net

Tel: +86 13925354948

E-mail: Sales@urlighting86.com

Facebook: UR Lighting

Youtube: URLighting

Instagarm: urledlighting

5MM - 48V

Track Light

UR LIGHTING


15YEARS ANNIVERSARY

Commercial & Architectural Lighting Manufacturer
Smart Lighting Solutions for Modern Spaces

About Company

UR Lighting is a trusted brand

- 15+ years manufacturing experience
- Full service, reputable firm
- Strict quality control process



CERTIFICATES & HONORS






















NEEKO SERIES
TRACK LIGHT

Let the space more **choices.**

The high level of appearance and comfortable space is even more attractive. Mini 5 series, can be full of science and technology, can also be warm, let you rest assured that the free collocation, it in the form of point, line, surface lighting, highlighting the sense of space and line sense of the building, so that simple lines balance the space feeling, give people more imagination.


Selectable



Overhead track
B505-5MM-C



Surface mounted track
B505-5MM-C



Plastering magentic track
B506-5MM-C



Recessed magentic track
B523-5MM-C



Embedded track
B507-5MM-C

MINI5 SERIES

UR LIGHTING
15YEARS ANNIVERSARY

Small size

Small magnetic lamp is available in two sizes optimised for different applications.We have significantly miniaturised the luminaire dimensions of **Mini 5** size S to a diameter of only 5 mm. Ideal for small exhibits and shop windows aswell as for private use at very short distances

Aluminum profile processing is more flexible, to provide more style choices, delicate and diverse surface treatment is to meet the different personality preferences of consumers.

5mm

Small size

Small magnetic lamp is available in two sizes optimised for different applications.We have significantly miniaturised the luminaire dimensions of Mini 5 size S to a diameter of only 5 mm.

Ideal for small exhibits and shop windows aswell as for private use at very short distances.



S M

H155-5MM-C CG

G099-5MM-M CX

H153-5MM-C CX

H154-5MM-C CX

H155-5MM-C CG

Powerful lighting, flexible high magnetic lamp everything on the track, do not need multiple holes, hidden lines, and can be equipped with different lamps.


There are many light source modules of magnetic lamps, including floodlight, grille, spotlights, chandeliers, etc., which can meet a variety of space lighting, and can also freely increase or decrease the number of lamps, free movement, and free Angle adjustment.

H161-5MM-C CX

G099-5MM-C CG

F121-5MM-C CG

H160-5MM-C CX


Recessed B507-5MM-C
Plastering B506-5MM-C
Surface mounted
B505-5MM-C
Round B523-5MM-C
Hanging B508-5MM-C




MINI5 series



Surface mounted magentic track

Dimensions



Accessories



Model: B505-5MM-C
Surface mounted magentic track




Model: B525-5MM-C IN
Connector



Model: B525-5MM-C 90°
Connector



Model: B511-5MM-C
Connector module



Model: B512-5MM-C
Connector module



Model: B513-5MM-C
Connector module



Model: B514-5MM-C
Input module



Model: B509-5MM-C
Power supply



Model: B516-5MM-24V
Power supply



Model: B536
Suspension wire




MINI5 series



Plastering magentic track

Dimensions



Accessories



Model: B506-5MM-C
Plastering magentic track




Model: B526-5MM-C IN
Connector



Model: B526-5MM-C 90°
Connector




Model: B511-5MM-C
Connector module



Model: B512-5MM-C
Connector module



Model: B513-5MM-C
Connector module




Model: B514-5MM-C
Input module




Model: B509-5MM-C
Power supply



Model: B516-5MM-24V
Power supply




MINI5 series



Recessed magentic track

Dimensions



Accessories



Model: B507-5MM-C
Recessed magentic track




Model: B517-5MM-C IN
Connector



Model: B517-5MM-C 90°
Connector



Model: B511-5MM-C
Connector module



Model: B512-5MM-C
Connector module



Model: B513-5MM-C
Connector module



Model: B514-5MM-C
Input module




Model: B509-5MM-C
Power supply



Model: B516-5MM-24V
Power supply





MINI5 series




Hanging track with double guide rails




Round magentic track

Dimensions



Accessories



Model: B508-5MM-C
Hanging track with double guide rails



Model: B523-5MM-C
Round magentic track



Model: B524-5MM-C
Connector




Model: B511-5MM-C
Connector module



Model: B512-5MM-C
Connector module



Model: B513-5MM-C
Connector module



Model: B514-5MM-C
Input module



Model: B509-5MM-C
Power supply



Model: B516-5MM-24V
Power supply



Model: B536
Suspension wire

magnet.

Various forms

Aluminum profile processing is more flexible, to provide more style choices, delicate and diverse surface treatment is to meet the different personality preferences of consumers.






magnet.

Safety clip

Safety high magnetic lamp mostly uses 24V or 48V low voltage design
There is no danger of electric shock when installing replacement lamps or touching the track directly by hand.


The lamp has a safety buckle stuck in the inner wall of the track, and the buckle will be released by turning the safety button





Bluetooth Speaker

Dimensions



Parameter

Model: H127-5MM 10W
Material: Aluminum+ plastic

Bluetooth Speaker


IP20





Grille light(Embedded)

Dimensions



Parameter


Model: H150-5MM-C CX
Material: Aluminum+ plastic
Power: 4W
CRI: >90
CCT: 4000K

Dimensions



Parameter


Model: H150-5MM-C CX
Material: Aluminum+ plastic
Power: 6W
CRI: >90
CCT: 4000K





Linear floodlight(Embedded)


Dimensions



Parameter

Model: H151-5MM-CCX
Material: Aluminum+ plastic
Power: 6W
CRI: >90
CCT: 4000K

Dimensions





Linear floodlight(Embedded)

Parameter


Model: H151-5MM-CCX
Material: Aluminum+ plastic
Power: 8W
CRI: >90
CCT: 4000K

MINI5 series



Foldable lens type

Dimensions



Parameter


Model: H152-5MM-C CZ
Material: Aluminum+ plastic
Power: 12W
CRI: >90
CCT: 4000K

MINI5 series



Light fixture

Dimensions



Parameter


Model: H153-5MM-C CX
Material: Aluminum+ plastic
Power: 16W
CRI: >90
CCT: 4000K

MINI5 series



Light fixture

Dimensions




Parameter

Model: H154-5MM-C CX
Material: Aluminum+ plastic
Power: 16W
CRI: >90
CCT: 4000K



Spot light

Dimensions




Parameter

Model: H155-5MM-C CG
Material: Aluminum+ plastic
Power: 5W
CRI: >90
CCT: 4000K



Spot light

Dimensions



Parameter


Model: H155-5MM-C CG
Material: Aluminum+ plastic
Power: 8W
CRI: >90
CCT: 4000K

MINI5 series



Spot light

Dimensions



Parameter


Model: F118-5MM
Material: Aluminum+ plastic
Power: 5W
CRI: >90
CCT: 4000K





Spot light

Dimensions



Parameter


Model: J073-5MM
Material: Aluminum+ plastic
Power: 8W
CRI: >90
CCT: 4000K





Chandelier

Dimensions




Parameter

Model: H158-5MM-CCD
Material: Aluminum+ plastic
Power: 5W
CRI: >90
CCT: 4000K



Reflector type


Dimensions



Parameter

Model: H160-5MM-C CX
Material: Aluminum+ plastic
Power: 10W
CRI: >90
CCT: 4000K

Dimensions



Parameter

Model: H160-5MM-C CX
Material: Aluminum+ plastic
Power: 15W
CRI: >90
CCT: 4000K



Reflector type



Linear floodlight

Dimensions




Parameter

Model: H161-5MM-C CX
Material: Aluminum+ plastic
Power: 10W
CRI: >90
CCT: 4000K



Linear floodlight

Dimensions



Parameter

Model: H161-5MM-C CX
Material: Aluminum+ plastic
Power: 15W
CRI: >90
CCT: 4000K




Grille light(Embedded)

Dimensions




Parameter

Model: H162-5MM-C CX
Material: Aluminum+ plastic
Power: 6W
CRI: >90
CCT: 4000K



Grille light(Embedded)

Dimensions




Parameter

Model: H162-5MM-C CX
Material: Aluminum+ plastic
Power: 12W
CRI: >90
CCT: 4000K



Foldable grille light




Parameter

Model: H1193-5MM-C CZ
Material: Aluminum+ plastic
Power: 12W
CRI: >90
CCT: 4000K



Spot light




Parameter

Model: D075-5MM CD
Material: Aluminum
Power: 10W
CRI: >90
CCT: 4000K



Spot light




Parameter

Model: D121-5MM CD
Material: Iron
Power: 8W
CRI: >90
CCT: 4000K



Ball light



Parameter

Model: G021-5MM CM
Power: 5W
CRI: >90
CCT: 4000K






MINI5 series



Downlight

Dimensions



Parameter


Model: G099-5MM-M CX
Power: 6W
CRI: >90
CCT: 4000K





Round decorative lamp

Dimensions



Parameter

Model: F121-5MM-CCG
Power: 9W
CRI: >90
CCT: 4000K

