UR LIGHTING
15YEARS ANNIVERSARY

CONTACT US

Add: No.5/3.Kanglong 3rd Road,Xinmao Industrial Area,
Henglan Town Zhongshan City Guangdong Province.China

Website: https://www.urlighting.net

Tel: +86 13925354948

E-mail: Sales@urlighting86.com

Facebook: UR Lighting

Youtube: UR Lighting

Instagarm: urledlighting

Architectural Lighting Catalogue



Commercial & Architectural
Lighting Manufacturer
Smart Lighting Solutions for
Modern Spaces

Starting from 2011

INTRODUCTION

Commercial & Architectural Lighting Manufacturer
Smart Lighting Solutions for Modern Spaces

overview

UR Lighting We are a manufacturer specializing in commercial and architectural lighting, offering smart lighting solutions for modern spaces. Based in Zhongshan, Guangdong, China’s famous lighting base, our factory has over 10,000㎡ standardized workshops. Boasting an integrated R&D, production and sales management system, we own more than 15 years of OEM/ODM production experience.

- 15+ years manufacturing experience
- Full service, reputable firm
- Strict quality control process

ABOUT

Architectural Lighting Catalogue



Good architectural lighting harmonizes light and space. Our recessed, surface and track lights are engineered for modern architectural applications. Featuring clean minimalist styling and accurate light distribution, they offer flexible layout possibilities for commercial and residential interiors. UR Lighting works with design and construction professionals to create thoughtful lighting solutions for every project.

UR LIGHTING

Recessed light

J032

LED UR 220V

J032 5W



J032 10W



J032 14W



J032 19W



J032 24W



INFORMATION


Material: Aluminum

LED Type: COB

Protection Class: IP20

Beam angle: 43.1°

CRI: ＞90



Power	CCT	Luminous Flux	Cut Out
5W	4000K	456LM	46*40mm
9W	4000K	867LM	87*40mm
14W	4000K	1200LM	126*40mm
19W	4000K	1730LM	165*40mm
24W	4000K	2110LM	206*40mm

One lamp, multiple modes | Flexible adjustment

LED UR 220V

J033 5W



J033 10W



J033 14W



J033 19W



J033 24W



INFORMATION

Material: Aluminum


LED Type: COB

Protection Class: IP20

Beam angle: 36.5°

CRI: ＞90

Power	CCT	Luminous Flux	Cut Out
5W	4000K	459LM	46*40mm
10W	4000K	918LM	87*40mm
14W	4000K	1300LM	126*40mm
19W	4000K	1780LM	165*40mm
24W	4000K	2290LM	206*40mm





LED UR 220V

J034 4W



J034 9W



J034 12W



INFORMATION


Material: Aluminum

LED Type: COB

Protection Class: IP20

Beam angle: 28.6°

CRI: ＞90



Power	CCT	Luminous Flux	Cut Out
4W	4000K	247LM	46*40mm
9W	4000K	516LM	87*40mm
12W	4000K	716LM	126*40mm

LED UR 220V

F096 QR SBK



F096 QR SWT



F096 QR SWT



F096 QR SWT



F096 QR SWT



F096 QR SBK



F096 QR SBK










INFORMATION

Material: Aluminum+Plastic
LED Type: SMD3030
Protection Class: IP20
CRI: ＞90



Power	CCT	Luminous Flux	CUT-OUT SIZE
3W	4000K	205LM	40*35mm
4W	4000K	338LM	68*35mm
6W	4000K	390LM	96*35mm
2W*5	4000K	813LM	156*35mm
10W	4000K	797LM	306*35mm

LED UR 220V

F097QR SBK



F097 QR SWT




F097 QR SBK



INFORMATION

Material: Aluminum+Plastic
LED Type: SMD3030
Protection Class: IP20
CRI: ＞90



Power	CCT	Luminous Flux	CUT-OUT SIZE
6W	4000K	390LM	106*46mm
2W*5	4000K	847LM	166*46mm
10W	4000K	812LM	316*46mm

LED UR 220V

G049 QR SBK



G049 QR SBK



G049 QR SBK



G049 QR SWT



G049 QR SWT



G049 QR SWT




INFORMATION

Material: Aluminum+Plastic

LED Type: SMD3030

Protection Class: IP20

CRI: ＞90



Power	CCT	CUT-OUT SIZE
6W	4000K	86*36mm
8W	4000K	146*36mm
18W	4000K	265*36mm

H025

LED UR 220V

H025 SBK



H025 SBK



H025 SBK



H025 SWT+BK



H025 SWT+BK



H025 SWT+BK




INFORMATION

Material: Aluminum

LED Type: SMD2835

Protection Class: IP20

CRI: ＞90



Power	CCT	Luminous Flux	CUT-OUT SIZE
6W	4000K	341LM	106*17mm
12W	4000K	665LM	205*17mm
15W	4000K	814LM	303*17mm

LED UR 220V

K004 6W



K004 10W



K004 25W



INFORMATION


Material: Aluminum

LED Type: SMD3535

Protection Class: IP20

Beam angle: 40°

CRI: ＞90



Power	CCT	Cut Out
1.5W	3000K	69*25mm
2.5W	3000K	112*25mm
3W	3000K	222*25mm

LED UR 220V

F098 MZ SBK





F098 QR SWT



INFORMATION

Material: Aluminum+Plastic
LED Type: SMD3030
Protection Class: IP20
CRI: ＞90





Power	CCT	Luminous Flux	CUT-OUT SIZE
6W	4000K	527LM	
6W	4000K	559LM	108*40mm




LED UR 220V

J038 5W



J038 5W





INFORMATION

Material: Aluminum

LED Type: COB

Protection Class: IP20

Beam angle: 41.8°

CRI: ＞90


Power	CCT	Luminous Flux	Cut Out
5W	4000K	404LM	40mm



LED UR 220V

J039 7W





INFORMATION

Material: Aluminum

LED Type: COB

Protection Class: IP20

Beam angle: 40.7°

CRI: ＞90

Power	CCT	Luminous Flux	Cut Out
7W	4000K	563LM	55mm

Up-down telescopic adjustable

LED UR 220V

J040 5W



INFORMATION


Material: Aluminum

LED Type: COB

Protection Class: IP20

Beam angle: 23.3°

CRI: ＞90



Power	CCT	Luminous Flux	Cut Out
5W	4000K	274LM	40mm

Up-down telescopic adjustable

LED UR 220V

J041 6W



INFORMATION


Material: Aluminum

LED Type: COB

Protection Class: IP20

Beam angle: 35.5°

CRI: >90



Power	CCT	Luminous Flux	Cut Out
6W	4000K	577LM	40mm

LED UR 220V

J042 5W



INFORMATION


Material: Aluminum

LED Type: COB

Protection Class: IP20

Beam angle: 23.3°

CRI: ＞90



Power	CCT	Luminous Flux	Cut Out
6W	4000K	305LM	40mm

LED UR 220V

J043 7W



J043 7W



INFORMATION


Material: Aluminum

LED Type: COB

Protection Class: IP20

Beam angle: 39°

CRI: ＞90



Power	CCT	Luminous Flux	Cut Out
7W	4000K	576LM	35mm

LED UR 220V

J044 6W



J044 6W



J044 6W



J044 15W



J044 15W



J044 15W



INFORMATION

Material: Aluminum


LED Type: COB

Protection Class: IP20

Beam angle: 25°/29.1°

CRI: ＞90





Power	CCT	Luminous Flux	Cut Out
6W	4000K	562LM	55mm
15W	4000K	1389LM	70mm

LED UR 220V

J045 7W



J045 13W



INFORMATION


Material: Aluminum

LED Type: COB

Protection Class: IP20

Beam angle: 25.8°

CRI: ＞90





Power	CCT	Luminous Flux	Cut Out
7W	4000K	563LM	60mm
12W	4000K	1193LM	75mm



LED UR 220V

J048 8W



J048 15W



INFORMATION


Material: Aluminum

LED Type: COB

Protection Class: IP20

Beam angle: 54.3°

CRI: ＞90



Power	CCT	Luminous Flux	Cut Out
7W	4000K	295LM	60mm
12W	4000K	492LM	75mm

LED UR 220V

J120 8W



J120 12W



J120 14W



INFORMATION

Material: Aluminum

LED Type: COB

Protection Class: IP20

Beam angle: 40.4°

CRI: ＞90



Power	CCT	Luminous Flux	Cut Out
8W	4000K	335LM	55mm
12W	4000K	465LM	65mm
14W	4000K	528LM	75mm

LED UR 220V

J121 8W



J121 12W



J121 14W



INFORMATION

Material: Aluminum


LED Type: COB


Protection Class: IP20

Beam angle: 24°

CRI: ＞90







Power	CCT	Luminous Flux	Cut Out
8W	4000K	195LM	55mm
12W	4000K	460LM	65mm
14W	4000K	336LM	75mm



LED UR 220V

J176 3W



J176 7W



J176 11W



J176 3W



J176 7W



J176 11W



INFORMATION


Material: Aluminum

LED Type: COB

Protection Class: IP20

Beam angle: 27.2°

CRI: ＞90



Power	CCT	Luminous Flux	Cut Out
3W	4000K		35mm
7W	4000K	555LM	55mm
11W	4000K	770LM	75mm

J187

LED UR 220V

J187 8W



J187 15W



INFORMATION


Material: Aluminum


LED Type: COB

Protection Class: IP20

Beam angle: 53.1°

CRI: ＞90





Power	CCT	Luminous Flux	Cut Out
8W	4000K	768LM	60mm
15W	4000K	1450LM	75mm

LED UR 220V

K001 QR 3W



INFORMATION


Material: Aluminum

LED Type: SMD3535

Protection Class: IP20

Beam angle: 24°

CRI: >90



Power	CCT	Cut Out
3W	3000K	35mm

LED UR 220V

K003 QR 3W



INFORMATION


Material: Aluminum

LED Type: SMD3535

Protection Class: IP20

Beam angle: 24°

CRI: ＞90



Power	CCT	Cut Out
3W	3000K	35mm

LED UR 220V

J198 7W SBK



J198 7W SWT



J198 7W CR



J198 7W MSN



J198 7W CU



J198 7W PB



J198 10W SBK



J198 10W SWT



J198 10W CR



J198 10W MSN



J198 10W CU



J198 10W PB



INFORMATION


Material: Aluminum

LED Type: COB

Protection Class: IP20

Beam angle: 33.4°/23.2°

CRI: ＞90



Power	CCT	Luminous Flux	Cut Out
6W	4000K	219LM	40mm
7W	4000K	430LM	40mm

K002 OR

LED UR 220V

K002 1.5W



K002 2.5W



K002 3W



INFORMATION


Material: Aluminum

LED Type: SMD3535

Protection Class: IP20

Beam angle: 24°


CRI: ＞90



Power	CCT	Cut Out
1.5W	3000K	25mm
2.5W	3000K	30mm
3W	3000K	30mm

LED | UR | 220V

J207 4.5W SBK | J207 4.5W SBK | J207 7W SBK | J207 7W SBK | J207 10W SBK | J207 10W SBK



J207 4.5W SWT | J207 4.5W SWT | J207 7W SWT | J207 7W SWT | J207 10W SWT | J207 10W SWT



J207 4.5W MGM | J207 4.5W MGM | J207 7W MGM | J207 7W MGN | J207 10W MGN | J207 10W MGN



INFORMATION

Material: Aluminum


LED Type: COB

Protection Class: IP20

Beam angle:

CRI: ＞90

Power	CCT	Luminous Flux	Cut Out
4.5W	4000K	229LM	40mm
7W	4000K	464LM	40mm
10W	4000K	602LM	40mm



J207 AZ

LED | UR | 220V

J207 4.5W SBK



J207 4.5W SBK



J207 7W SBK



J207 9W SBK



J207 10W SBK



J207 13W SBK



J207 4.5W SWT



J207 4.5W SWT



J207 7W SWT



J207 9W SWT



J207 10W SWT



J207 13W SWT



J207 4.5W MGM



J207 4.5W MGM



J207 7W MGM



J207 9W MGN



J207 10W MGN



J207 13W MGN



INFORMATION


Material: Aluminum


LED Type: COB


Protection Class: IP20

Beam angle: 25°

CRI: >90







Power	CCT	Luminous Flux	Cut Out
4.5W	4000K	231LM	40mm
7W	4000K	456LM	50mm
9W	4000K	602LM	50mm
10W	4000K	697LM	60mm
13W	4000K	834LM	60mm

LED UR 220V

J200 13W SBK



J200 13W SWT



J200 13W MGM



J200 13W GM



J200 13W CR



J200 13W MSN



J200 13W BSN



J200 13W MFBN



INFORMATION


Material: Aluminum

LED Type: COB

Protection Class: IP20

Beam angle: 31.2°

CRI: ＞90



Power	CCT	Luminous Flux	Cut Out
13W	4000K	404LM	75mm



LED UR 220V

J201 6W SWT



J201 6W SWT



J201 6W SBK



J201 6W SBK



INFORMATION


Material: Aluminum

LED Type: COB

Protection Class: IP20

Beam angle: 28.4°

CRI: ＞90



Power	CCT	Luminous Flux	Cut Out
6W	4000K	185LM	40mm



LED UR 220V

J203 13W SBK



J203 13W SWT



J203 13W MGM



J203 13W GM



J203 13W CR



J203 13W MSN



J203 13W BSN



J203 13W MFBN



INFORMATION


Material: Aluminum

LED Type: COB

Protection Class: IP20

Beam angle: 31.9°

CRI: ＞90



Power	CCT	Luminous Flux	Cut Out
13W	4000K	409LM	75mm



LED UR 220V

J204 13W SBK



J204 13W SWT



J204 13W MGM



J204 13W GM



J204 13W CR



J204 13W MSN



J204 13W BSN



J204 13W MFBN



INFORMATION


Material: Aluminum

LED Type: COB

Protection Class: IP20

Beam angle: 35.4°

CRI: ＞90



Power	CCT	Luminous Flux	Cut Out
13W	4000K	425LM	75mm



UR LIGHTING

Surface-mounted Light

LED UR 220V

J205 MZ 10W



J205 MZ 10W



J205 MZ 18W



J205 MZ 18W



INFORMATION


Material: Aluminum

LED Type: SMD

Protection Class: IP20

Beam angle: 36.4°

CRI: ＞90



Power	CCT	Luminous Flux
10W	4000K	604LM
18W	4000K	1144LM

LED UR 220V

F096 MZ SWT



F096 MZ SWT




F096 MZ SWT



INFORMATION

Material: Aluminum+Plastic
LED Type: SMD3030
Protection Class: IP20
CRI: ＞90



Power	CCT	Luminous Flux
2W*5	4000K	909LM
10W	4000K	936LM
15W	4000K	1638LM

LED UR 220V


K005 6W



K005 10W



K005 20W



INFORMATION

Material: Aluminum

LED Type: SMD3535

Protection Class: IP20

Beam angle: 24°

CRI: >90

Power	CCT
6W	3000K
10W	3000K
20W	3000K



LED UR 220V


K006 6W



K006 10W



K006 20W



INFORMATION


Material: Aluminum

LED Type: SMD3535

Protection Class: IP20

Beam angle: 40°

CRI: ＞90



Power	CCT
6W	3000K
10W	3000K
20W	3000K

LED UR 220V


J208 MZ 7W



J208 MZ 7W



INFORMATION



Material: Aluminum

LED Type: SMD

Protection Class: IP20

Beam angle: 26°

CRI: ＞80

Power	CCT	Luminous Flux
7W	2700K	438LM



LED UR 220V

J006 10W



J006 10W



J006 15W



J006 15W



INFORMATION


Material: Aluminum

LED Type: COB

Protection Class: IP20

Beam angle:

CRI: ＞90





Power	CCT	Luminous Flux
10W	4000K	530LM
15W	4000K	1270LM

J046

LED UR 220V

J046 6W



J046 6W



J046 13W



J046 13W



INFORMATION


Material: Aluminum

LED Type: COB

Protection Class: IP20

Beam angle: 50.3°/57.6°

CRI: ＞90



Power	CCT	Luminous Flux
6W	4000K	591LM
13W	4000K	1192LM



LED UR 220V

J047 7W



J047 7W



J047 12W



J047 12W



INFORMATION


Material: Aluminum

LED Type: COB

Protection Class: IP20

Beam angle: 34.4°/33°

CRI: ＞90



Power	CCT	Luminous Flux
7W	4000K	295LM
12W	4000K	492LM

LED UR 220V

J174 7W



J174 11W



J174 13W



J174 15W



J174 18W



J174 7W



J174 11W



J174 13W



J174 15W



J174 18W



INFORMATION


Material: Aluminum

LED Type: COB

Protection Class: IP20

Beam angle: 24°

CRI: ＞90



Power	CCT	Luminous Flux
7W	4000K	322LM
11W	4000K	584LM
13W	4000K	819LM
15W	4000K	1003LM
18W	4000K	1193LM

LED UR 220V

J175 11W



J175 11W



J175 11W



J175 11W



INFORMATION


Material: Aluminum

LED Type: COB

Protection Class: IP20

Beam angle: 31.3°

CRI: ＞90



Power	CCT	Luminous Flux
11W	4000K	906LM

LED UR 220V

J186 6W



J186 6W



J186 13W



J186 13W



INFORMATION


Material: Aluminum

LED Type: COB

Protection Class: IP20

Beam angle: 50.3°/57.6°

CRI: ＞90



Power	CCT	Luminous Flux
6W	4000K	590LM
13W	4000K	1316LM

LED UR 220V

J207 7W SBK



J207 9W SBK



J207 10W SBK



J207 13W SBK



J207 7W SWT



J207 9W SWT



J207 10W SWT



J207 13W SWT



J207 7W MGM



J207 9W MGM



J207 10W MGM



J207 13W MGN



INFORMATION


Material: Aluminum


LED Type: COB


Protection Class: IP20

Beam angle: 25°

CRI: ＞90







Power	CCT	Luminous Flux
7W	4000K	485LM
9W	4000K	634LM
10W	4000K	638LM
13W	4000K	755LM

UR LIGHTING

High-Voltage Track Light

Website:https://www.urlighting.net

LED UR 220V

J002 12W



J002 20W



J002 30W



J002 35W



J002 12W



J002 20W



J002 30W



J002 35W



INFORMATION

Material: Aluminum + Plastic


LED Type: COB

Protection Class: IP20

Beam angle: 15°-55°

CRI: >90

Power	CCT	Luminous Flux
12W	2700-6500K	410-580LM
20W	2700-6500K	1050-1310LM
30W	2700-6500K	1580-1950LM
35W	2700-6500K	1720-2140LM



LED UR 220V

J003 20W



J003 24W



J003 32W



J003 38W



J003 20W



J003 24W



J003 32W



J003 38W



INFORMATION

Material: Aluminum + Plastic


LED Type: COB

Protection Class: IP20

Beam angle: 25.3°

CRI: >90

Power	CCT	Luminous Flux
20W	2700-6500K	900-940LM
24W	2700-6500K	1170-1400LM
32W	2700-6500K	2020-2440LM
38W	2700-6500K	2830-3320LM



LED UR 220V

J004 30W



J004 30W



J004 40W



J004 40W



INFORMATION

Material: Aluminum + Plastic

LED Type: COB

Protection Class: IP20

Beam angle: 23.7°/33.9°

CRI: >90

Power	CCT	Luminous Flux
30W	2700-6500K	1860-2270LM
40W	2700-6500K	3030-3580LM

LED UR 220V

J005 30W



J005 30W



J005 35W



J005 35W



INFORMATION


Material: Aluminum + Plastic


LED Type: COB

Protection Class: IP20

Beam angle: 27.2°/24.5°

CRI: >90





Power	CCT	Luminous Flux
30W	2700-6500K	1730-2100LM
35W	2700-6500K	2160-2620LM

LED UR 220V

C185 10W



C185 18W



C185 30W



C185 10W



C185 18W



C185 30W



INFORMATION


Material: Aluminum

LED Type: SMD3030

Protection Class: IP20

Beam angle: 24°

CRI: >90



Power	CCT	Luminous Flux
10W	4000K	830LM
18W	4000K	1490LM
30W	4000K	2160LM



“Track Lighting can be adjusted arbitrarily”

The lamp head can be rotated
retracted, bringing different artistic atmosphere to the space





LED UR 220V

C188 GD SBK 20W



C188 GD SWT 20W



INFORMATION


Material: Aluminum + Plastic

LED Type: SMD2835

Protection Class: IP20

Beam angle: 120°

CRI: ＞90



Power	CCT	Luminous Flux
20W	4000K	1160LM



LED UR 220V

F133 GD SBK 12W



F133 GD SBK 24W



INFORMATION


Material: Aluminum + Plastic

LED Type: SMD2835

Protection Class: IP20

Beam angle: 120°


CRI: ＞90



Power	CCT	Luminous Flux
12W	4000K	1050LM
24W	4000K	1790LM

LED UR 220V

J213 15W



J213 15W



J213 25W



J213 25W



INFORMATION

Material: Aluminum+Plastic

LED Type: SMD2835

Protection Class: IP20

Beam angle: 81.6°

CRI: >90

Power	CCT	Luminous Flux
15W	2700K-4000K	600-670LM
25W	2700K-4000K	500-560LM

LED UR 220V

J214 15W



J214 15W



J214 25W



J214 25W



INFORMATION

Material: Aluminum+Plastic

LED Type: SMD3030

Protection Class: IP20

Beam angle: 36°

CRI: >90



Power	CCT	Luminous Flux
15W	2700K-4000K	640-740LM
25W	2700K-4000K	1300-1500LM





